



RESPONSE UNDER 37 CFR 1.116 EXPEDITED PROCEDURE EXAMINING GROUP 2623

03500.013894

### PATENT APPLICATION

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| In re Application of:  |                           | )      | Examiner: C. Kim  Group Art Unit: 2623 |                        |
|------------------------|---------------------------|--------|--|------------------------|
| Kikuo NAITO            |                           | )      |  |                        |
| Appln. No.: 09/409,347 |                           | ;<br>) |  |                        |
| Filed:                 | September 30, 1999        | )      |  |                        |
| For:                   | INFORMATION PROCESSING    | )      | August 12, 2003                        | <u>.</u>               |
|                        | APPARATUS ENABLING        | :      |  | RECEIVED               |
|                        | ELECTRONIC WATERMARKING,  | )      |  | Beats ! W Steam Load   |
|                        | AND COMMUNICATION NETWORK | :      |  | AUG 1 5 2003           |
|                        | CONNECTABLE TO SUCH       | )      |  |                        |
|                        | INFORMATION PROCESSING    | :      |  | Technology Center 2600 |
|                        | APPARATUS                 | )      |  | <b>5</b> ,             |

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

#### AMENDMENT AFTER FINAL REJECTION

Sir:

# Petition for Extension of Time

Applicant petitions to extend the time for response to the final Office Action dated March 12, 2003 for two months from June 12, 2003 to August 12, 2003. A check in the amount of \$410.00 for payment of the extension fee is enclosed. Please charge any additional fee required for the extension, and credit any overpayment, to Deposit Account 06-1205.

08/13/2003 JADDD1 00000037 09409347

01 FC:1201 02 FC:1252 84.00 DP 410.00 DP

ξ

NOT ENTER

# Amendment

In response to the final Office Action dated March 12, 2003, please amend the application as indicated below.